



PROFESSIONAL • RELIABLE • LOCAL

FIRE EXTINGUISHER BROCHURE



Whatever your fire safety needs, we're here to make sure you're not just ticking all the boxes you think you should. We ensure that you're doing everything you need to protect your staff, customers and premises regularly and that fire safety is a key priority for your business.

Our standard range of BS EN3 kitemarked fire extinguishers provide the reassurance of quality and optimum performance. The range below includes solutions for most workplace situations and come with a 5-year warranty:

Because Quality Matters:

- Kitemarked to BSEN3
- Stamped with "CE" Mark
- Tough robust corrosion resistant finish
- Built to last with wall mounting bracket
- Full Technical and Operational Support
- 5 Year Guarantee
- Independently certified with Lloyds Register



WATER EXTINGUISHERS



WS EX6 6ltr Water Spray
WS EX9 9ltr Water Spray

Economical, non-hazardous and easy to work with, water is the most popular extinguishing medium for Class A fires. With spray nozzles, rather than jet, these units have excellent fire-fighting capability, even in the hands of a novice.

- Fully CE marked
- Manufactured to BS EN3
- Fire rating certified by Lloyd's Register
- Plastic base for protection
- Corrosion-resistant finish
- Polyethylene internal lining
- Brass spray nozzle
- Full range of spare parts available

| Technical Specification | WS EX6 | WS EX9 |
|-------------------------|----------|----------|
| Capacity | 6 litre | 9 litre |
| Fire Rating | 13A | 21A |
| Extinguishing Medium | Water | Water |
| Working Pressure | 14 bar | 14 bar |
| Temperature Range | 0-+60°C | 0-+50°C |
| Cylinder Material | Steel | Steel |
| Pressurising Gas | Nitrogen | Nitrogen |



PROFESSIONAL • RELIABLE • LOCAL

Water | Water Plus | Foam | CO2 | Powder | Wet Chemical

WATER ANTIQUE COPPER FIRE EXTINGUISHER



This six-litre water extinguisher is ideal for premises at risk of Class A fires (combustible materials). It has a 13A fire rating but it's its striking copper looks that really get it noticed. And with matching brushed antique copper tubular stands and ID signs, this range provides everything needed for truly elegant-looking fire defence.

The Contempo range offers an industry first. These unique extinguishers combine fire safety with the most exquisite hand finish and are available in silver, gold and copper colourways. Mandatory fire equipment can now complement the very finest interior design and even prove to be a feature. Perfect for modern bars and restaurants, luxury hotels and contemporary offices, opt for fire safety equipment you're proud to display.

WATER PLUS EXTINGUISHERS



WS EX3A 3ltr Water Plus - Compact PLUS

WS EX6A 6ltr Water Plus - Compact 34

Water Plus extinguishers are rapidly gaining popularity, thanks to their fantastic power-to-weight ratio. The 3 litre "Compact PLUS" model combines light weight, compact design and outstanding performance, making it the obvious choice for nearly every Class A risk situation. The 6 litre "Compact 34" is a high performance water-plus-additive extinguisher which achieves a remarkable 34A fire rating.

- Fully CE marked
- Manufactured to BS EN3
- Fire rating certified by Lloyds Register
- Plastic base for protection
- Corrosion-resistant finish
- Polyethylene internal lining
- Brass spray nozzle
- Full range of spare parts available

| Technical Specification | WS EX3A | WS EX6A |
|-------------------------|------------------|----------|
| Capacity | 3 litre | 6 litre |
| Fire Rating | 13A | 34A |
| Extinguishing Medium | Water + additive | Water |
| Working Pressure | 14 bar | 14 bar |
| Temperature Range | 0 +60°C | 0 +60°C |
| Cylinder Material | Steel | Steel |
| Pressurising Gas | Nitrogen | Nitrogen |



PROFESSIONAL • RELIABLE • LOCAL

Water | Water Plus | Foam | CO2 | Powder | Wet Chemical

STAINLESS STEEL WATER EXTINGUISHERS

STAINLESS STEEL FOAM EXTINGUISHERS



WS EX6SS 6ltr Water Spray
 WS EX6ASS 6ltr Water Plus
 WS EX9SS 9ltr Water Spray

High-gloss stainless steel cylinders for use where appearance is important. This range is resistant to corrosion and supplied with a plastic protection base.

- Fully CE marked
- Superb polished cylinder
- Fire rating certified by Lloyds Register
- Stainless steel cylinder
- Plastic protection base
- Full range of spare parts available



FS EX6SS 6ltr Foam Spray
 FS EX9SS 9ltr Foam Spray

Polished stainless steel cylinders and plastic protection bases make these extinguishers ideal for prestige applications. All Commander stainless steel and polished extinguishers have stainless steel handles.

- Fully CE marked
- Superb polished cylinder
- Fire rating certified by Lloyds Register
- Stainless steel cylinder
- Plastic protection base
- Full range of spare parts available



| Technical Specification | WS EX6SS | WS EX6ASS | WS EX9SS |
|-------------------------|-----------------|-----------------|-----------------|
| Capacity | 6 ltr | 6.5 ltr | 9 ltr |
| Fire Rating | 13A | 13A | 21A |
| Extinguishing Medium | Water | Water + foam | Water |
| Working Pressure | 14 bar | 14 bar | 14 bar |
| Temperature Range | 0 - 60°C | 0 - 60°C | 0 - 60°C |
| Cylinder Material | Stainless Steel | Stainless Steel | Stainless Steel |
| Pressurising Gas | Nitrogen | Nitrogen | Nitrogen |

| Technical Specification | FS EX6SS | FS EX9SS |
|-------------------------|-----------------|-----------------|
| Capacity | 6 ltr | 9 ltr |
| Fire Rating | 13A 113B | 21A 113B |
| Extinguishing Medium | AFF Foam | AFF Foam |
| Working Pressure | 14 bar | 14 bar |
| Temperature Range | 0 - 60°C | 0 - 60°C |
| Cylinder Material | Stainless Steel | Stainless Steel |
| Pressurising Gas | Nitrogen | Nitrogen |

FOAM EXTINGUISHERS



- FS EX1 1ltr AFF Foam
- FS EX2 2ltr AFF Foam
- FS EX3 3ltr AFF Foam
- FS EX6 6ltr AFF Foam
- FS EX9 9ltr AFF Foam

Foam is always an excellent choice for Class A and B fires. The increasingly popular 3 litre model combines light weight, compact design and a 13A/55B fire rating. The 1 and 2 litre models are supplied with sturdy transport brackets.

- Fully CE marked
- Manufactured to BS EN3
- Fire rating certified by Lloyds Register
- Plastic base for protection (excludes 1 & 2 ltr)
- Corrosion-resistant finish
- Polyethylene internal lining
- Brass spray nozzle
- Full range of spare parts available

| Technical Specification | FS EX1 | FS EX2 | FS EX3 | FS EX6 | FS EX9 |
|-------------------------|----------|----------|----------|----------|----------|
| Capacity | 1ltr | 2ltr | 3ltr | 6ltr | 9ltr |
| Fire Rating | 5A 21B | 8A 34B | 13A 55B | 18A 113B | 21A 163B |
| Extinguishing Medium | AFF Foam | AFF Foam | AFF Foam | AFF Foam | AFF Foam |
| Working Pressure | 14 bar | 14 bar | 12 bar | 14 bar | 14 bar |
| Temperature Range | 0-+60°C | 0-+60°C | 0-+60°C | 0-+60°C | 0-+60°C |
| Cylinder Material | Steel | Steel | Steel | Steel | Steel |
| Pressurising Gas | Nitrogen | Nitrogen | Nitrogen | Nitrogen | Nitrogen |



PROFESSIONAL • RELIABLE • LOCAL

Water | Water Plus | Foam | CO2 | Powder | Wet Chemical

FOAM FIRE EXTINGUISHER



This beautifully unique extinguisher will uplift any area. In stunning Antique Copper, this six-litre foam unit is an ideal solution for premises that may be at risk from Class A (combustible materials) and B (flammable liquids) fires. It has a 13A 113B fire rating. With matching brushed antique copper tubular stands and ID signs, this range provides the utmost in elegant fire defence.

The Contempo range offers an industry first. These unique extinguishers combine fire safety with the most exquisite hand finish and are available in silver, gold and copper colourways. Mandatory fire equipment can now complement the very finest interior design and even prove to be a feature. Perfect for modern bars and restaurants, luxury hotels and contemporary offices, opt for fire safety equipment you're proud to display.

CO₂ EXTINGUISHERS - Aluminium



CO₂EA 2kg Carbon Dioxide
 CO₂EA 5kg Carbon Dioxide

Amongst the finest CO₂ units available today, these really do complete the already comprehensive CommanderEDGE range. With aluminium 'squat' bodies, they combine superior aesthetics with light weight for ease of handling.

These premium units are genuinely stunning extinguishers. The 2kg unit comes complete with a double-wall frost-free horn, and the 5kg boasts a class-leading 89B fire rating and a "safe-hold" hose and horn assembly.

- Aluminium "squat" bodies
- Kitemarked to BS EN3
- Supplied with safe horn and bracket
- Corrosion-resistant finish
- 5-year warranty

| Technical Specification | CO ₂ EA | CO ₂ EA |
|-------------------------|--------------------|--------------------|
| Capacity | 2kg | 5kg |
| Fire Rating | 84B | 89B |
| Extinguishing Medium | CO ₂ | CO ₂ |
| Working Pressure | 50 bar @ 20°C | 50 bar @ 20°C |
| Temperature Range | -20 - 50°C | -20 - 50°C |
| Cylinder Material | Aluminium | Aluminium |
| Pressurising Gas | - | - |



CO₂ EXTINGUISHERS - Alloy Steel



CO2E 2kg Carbon Dioxide
CO5E 5kg Carbon Dioxide

Suitable for both electrical and flammable liquid fires, CO₂ is non-damaging to electrical equipment and machinery. The CommanderEDGE product is probably the most robust CO₂ fire extinguisher available in the UK. The cylinder is made from an alloy steel making the perfect combination of strength and a pleasing aesthetic appearance. This is a true leader for the industry. The 5kg model comes with an 89B fire rating - probably the highest available in the UK. Supplied with non-conductive discharge horns, these extinguishers are ideal for workshop, industrial and office environments.

- Kitemarked to BS EN3
- Supplied with safe horn and bracket
- MED "Ship's Wheel" approval on CO5E
- 5-year warranty

| Technical Specification | CO2E | CO5E |
|-------------------------|-----------------|-----------------|
| Capacity | 2kg | 5kg |
| Fire Rating | 34B | 89B |
| Extinguishing Medium | CO ₂ | CO ₂ |
| Working Pressure | 56 bar @ 20°C | 56 bar @ 20°C |
| Temperature Range | -20 +50°C | -20 +50°C |
| Cylinder Material | Alloy Steel | Alloy Steel |
| Pressurising Gas | | |
| MED Approval | | ✓ |





PROFESSIONAL • RELIABLE • LOCAL

Water | Water Plus | Foam | CO2 | Powder | Wet Chemical

CO2 COPPER FIRE EXTINGUISHER



Choose this 2kg CO2 extinguisher for areas that may be at risk from Class B fires (where flammable liquids are the source) or for electrical fire risks. But let it take pride of place thanks to its stunning copper finish. Complete the look with the range's matching brushed antique copper tubular stands and ID signs. It has a 34B fire rating.

The Contempo range offers an industry first. These unique extinguishers combine fire safety with the most exquisite hand finish and are available in silver, gold and copper colourways. Mandatory fire equipment can now complement the very finest interior design and even prove to be a feature. Perfect for modern bars and restaurants, luxury hotels and contemporary offices, opt for fire safety equipment you're proud to display.

STAINLESS STEEL CO₂ EXTINGUISHERS

STAINLESS STEEL POWDER EXTINGUISHERS



CO EX2P 2kg Carbon Dioxide
CO EX5P 5kg Carbon Dioxide

Highly-polished light alloy cylinders make these extinguishers the choice for areas where appearance is a consideration.

- Fully CE marked
- Superb polished cylinder
- Fire rating certified by Lloyds Register
- Light alloy cylinder
- Full range of spare parts available



DP EX6SS 6kg ABC Powder
DP EX9SS 9kg ABC Powder

These extinguishers have high-gloss stainless steel cylinders and plastic protection bases, and are suitable for specialist and prestige applications.

- Fully CE marked
- Superb polished cylinder
- Fire rating certified by Lloyds Register
- Stainless steel cylinder
- Plastic protection base
- Full range of spare parts available



| Technical Specification | CO EX2P | CO EX5P |
|-------------------------|-----------------|-----------------|
| Capacity | 2kg | 5kg |
| Fire Rating | 34B | 70B |
| Extinguishing Medium | CO ₂ | CO ₂ |
| Working Pressure | 50 bar @ 20°C | 50 bar @ 20°C |
| Temperature Range | 23 - 60°C | 23 - 60°C |
| Cylinder Material | Aluminium | Aluminium |
| Pressurising Gas | - | - |

| Technical Specification | DP EX6SS | DP EX9SS |
|-------------------------|-----------------|-----------------|
| Capacity | 6kg | 9kg |
| Fire Rating | 34A 183B | 43A 233B |
| Extinguishing Medium | ABC-D | ABC-D |
| Working Pressure | 14 bar | 14 bar |
| Temperature Range | -20 to +80°C | -20 to +80°C |
| Cylinder Material | Stainless Steel | Stainless Steel |
| Pressurising Gas | Nitrogen | Nitrogen |

POWDER EXTINGUISHERS



- DP EX2 2kg ABC Powder
- DP EX3 3kg ABC Powder
- DP EX4 4kg ABC Powder
- DP EX6 6kg ABC Powder
- DP EX9 9kg ABC Powder

ABC powder is a multi-purpose extinguishing medium with excellent knock-down properties. The full range of sizes includes the 2kg model with transport bracket making it ideal for vehicle applications. The 9kg, 6kg, 4kg and 3kg models are supplied with a protective plastic base with hose stowage socket.

- Fully CE marked
- Manufactured to BS EN3
- Fire rating certified by Lloyds Register
- Plastic base for protection
- Corrosion-resistant finish
- Full range of spare parts available

| Technical Specification | DP EX2 | DP EX3 | DP EX4 | DP EX6 | DP EX9 |
|-------------------------|----------|----------|----------|----------|----------|
| Capacity | 2kg | 3kg | 4kg | 6kg | 9kg |
| Fire Rating | 13A 70B | 13A 89B | 21A 113B | 34A 180B | 43A 232B |
| Extinguishing Medium | ABC 40 | ABC 40 | ABC 40 | ABC 40 | ABC 40 |
| Working Pressure | 14 bar | 14 bar | 14 bar | 14 bar | 14 bar |
| Temperature Range | -20+60°C | -20+60°C | -20+60°C | -20+60°C | -20+60°C |
| Cylinder Material | Steel | Steel | Steel | Steel | Steel |
| Pressurising Gas | Nitrogen | Nitrogen | Nitrogen | Nitrogen | Nitrogen |

POWDER EXTINGUISHERS



- DP1E 1kg ABC Powder
- DP2E 2kg ABC Powder
- DP4E 4kg ABC Powder
- DP6E 6kg ABC Powder
- DP9E 9kg ABC Powder

ABC Powder is a multi-purpose extinguishing medium with excellent knock-down properties. The range of sizes includes the 1 and 2kg models that come complete with transport brackets and are ideal for transport applications. The 4kg, 6kg and 9kg models have plastic protection bases which incorporate a hose stowage socket. The 9kg model boasts an outstanding 55A 233B fire rating. All CommanderEDGE extinguishers are guaranteed for 5 years.

- Kitemarked to BS EN3
- Plastic base for protection on the 4kg, 6kg and 9kg models
- Corrosion-resistant finish
- MED “Ship’s Wheel” approval across all sizes
- 5-year warranty

| Technical Specification | DP1E | DP2E | DP4E | DP6E | DP9E |
|-------------------------|----------|----------|----------|----------|----------|
| Capacity | 1kg | 2kg | 4kg | 6kg | 9kg |
| Fire Rating | 8A 34B | 13A 70B | 27A 160B | 34A 180B | 55A 233B |
| Extinguishing Medium | ABC 40 | ABC 40 | ABC 40 | ABC 40 | ABC 40 |
| Working Pressure | 14 bar | 14 bar | 14 bar | 14 bar | 14 bar |
| Temperature Range | -20-60°C | -20-60°C | -20-60°C | -20-60°C | -20-60°C |
| Cylinder Material | Steel | Steel | Steel | Steel | Steel |
| Pressurising Gas | Nitrogen | Nitrogen | Nitrogen | Nitrogen | Nitrogen |
| MED Approval | ✓ | ✓ | ✓ | ✓ | ✓ |





PROFESSIONAL • RELIABLE • LOCAL

Water | Water Plus | Foam | CO2 | Powder | Wet Chemical

POWDER FIRE EXTINGUISHER



This 6kg powder extinguisher has a beautifully on-trend copper finish to complement contemporary or traditional interiors. It has a fire rating of 34A 183B and is the ideal solution for spaces likely to be at risk of Class A (combustible materials), Class B (flammable liquids) and Class C (flammable gases) fires. We also have matching brushed antique copper tubular stands and ID signs available for a truly elegant, unified look.

The Contempo range offers an industry first. These unique extinguishers combine fire safety with the most exquisite hand finish and are available in silver, gold and copper colourways. Mandatory fire equipment can now complement the very finest interior design and even prove to be a feature. Perfect for modern bars and restaurants, luxury hotels and contemporary offices, opt for fire safety equipment you're proud to display.

WET CHEMICAL EXTINGUISHERS

SPECIALIST DRY POWDER EXTINGUISHERS



WC EX2 2ltr Wet Chemical
WC EX6 6ltr Wet Chemical

The Commander range Wet Chemical extinguishers provide the ideal and effective answer to Class F fires. Both the 6 litre and 2 litre cylinders are manufactured from corrosion-resistant stainless steel. The 6 litre units have been designed to provide a hygienic "Easy Clean" solution to meet the demands of commercial kitchen environments. The 2 litre size is ideal for the smaller kitchen and can be easily removed from the bracket for cleaning. The stainless steel central strap holds the extinguisher firm and prevents accidental displacement.

- Fully CE marked
- Stainless steel cylinders
- Full range of spare parts available
- "Easy Clean" design
- 2 litre model suitable for up to 25ltr capacity deep fat fryer
- 6 litre model suitable for up to 75ltr capacity deep fat fryer



| Technical Specification | WC EX2 | WC EX6 |
|-------------------------|-----------------|-----------------|
| Capacity | 2 litre | 6 litre |
| Fire Rating | BA 25F | 18A 70F |
| Extinguishing Medium | Wet Chemical | Wet Chemical |
| Working Pressure | 7 bar | 14 bar |
| Temperature Range | 0 - 100°C | 0 - 60°C |
| Cylinder Material | Stainless Steel | Stainless Steel |
| Pressurising Gas | Nitrogen | Nitrogen |



DP EX9M28 9kg M28 Powder
DP EX9L2 9kg L2 Powder

These 'D' Class extinguishers are highly effective against a wide range of metal fires including magnesium, lithium, sodium and aluminium. The lance is designed to control the flow of powder, depositing it gently and evenly on the fire.

- Fully CE marked
- Manufactured to BS EN3
- Plastic base for protection
- Full range of spare parts available
- Corrosion-resistant finish

| Technical Specification | DP EX9M28 | DP EX9L2 |
|-------------------------|------------|-----------|
| Capacity | 9kg | 9kg |
| Fire Rating | N/A | N/A |
| Extinguishing Medium | M28 Powder | L2 Powder |
| Working Pressure | 14 bar | 14 bar |
| Temperature Range | 0 - 100°C | 0 - 60°C |
| Cylinder Material | Steel | Steel |
| Pressurising Gas | Nitrogen | Nitrogen |